

Prohibited: P – Prohibited for general carriage. Exceptions on a case-by-case basis with Special Approval.

Restricted: R – Acceptable for carriage provided specific requirements of Owners, POL/POD are fulfilled.

Restricted/Prohibited DG as per XPF Policy and may incur additional surcharge. - please check with respective Hubs and Marketing teams for the rates.

Class	UN	Proper Shipping Names	Comments	P/R
CLASS 1 – Explosives				
1.1	ALL	Substances with mass explosion hazard		P
1.2	ALL	Substances with a projection hazard but not a mass explosion hazard		P
1.3	ALL	Substances with a fire hazard and minor blast or projection hazard.	ON DECK ONLY. Subject to case-by-case evaluation with sufficient lead time. Owner's permission & Port permits may be required. Max 100mt onboard at any one time.	R
1.4	ALL	Substances and articles which present no significant hazard.	ON DECK ONLY Subject to case-by-case evaluation with sufficient lead time. Owner's permission & Port permits may be required. Max 100mt onboard at any one time.	R
1.5	ALL	Insensitive products with mass explosion hazard		P
1.6	ALL	Extremely insensitive articles, which do not have a mass explosion hazard		P
CLASS 2 – Gases				
2.1	1057	Lighters or Lighter refills, containing flammable gas	ON DECK ONLY <i>Carriage is subject to a vanning survey report issued 24 hours before loading at port of origin.</i>	R
2.2	2455	Methyl Nitrate (SP 900)		P
CLASS 3 – Flammable Liquids Class 3 /Sub-risk 3 cargo (flash point ≤ -26°C): operational surcharge applies				
CLASS 4 – Flammable Solids				
4.1	3231 to 3240	Self-Reactive Liquid / Solid Temperature Controlled		P
4.1	3541	Articles containing flammable Solid.		P
4.2	1374	Fishmeal / Fish scrap UNSTABILIZED	ON DECK ONLY SP 907 - (Weathering cert is required) Prior Permission required from Owner / Master	R
	1361	Carbon, animal, or vegetable origin.	ON DECK ONLY (MSDS + Vanning report required) Prior Permission required from Owner / Master	R

	1362	Carbon, Activated	ON DECK ONLY (MSDS + Vanning report required) Prior Permission required from Owner / Master	R
	3088	Self-Heating Solid, Organic, N.O.S.	Prohibit technical name is "Charcoal" or synonyms	R
CLASS 5 – Oxidizing Substances and Organic Peroxides				
5.1	1512	Zinc Ammonium Nitrate		P
	1748	Calcium Hypochlorite		P
	2208	Calcium Hypochlorite mixtures		P
	2880	Calcium Hypochlorite Hydrated or Hydrated mixtures		P
	3485 3486 3487	Calcium Hypochlorite Dry / Hydrated mixtures		P
	1942	Ammonium Nitrate (Not more than 0.2% combustible material)	ON DECK ONLY- Prohibited for NVOCC Max 100mt onboard at any one time. COA Required Owner's permission & Port permits may be required.	R
	2067	Ammonium Nitrate Fertilizers	ON DECK ONLY- Prohibited for NVOCC Max 100mt onboard at any one time. COA Required. Owner's permission & Port permits may be required.	R
	2426	Ammonium Nitrate, Liquid		P
	2014	Hydrogen Peroxide, Aqueous Solution	NVOCC Shipment only: Require vanning survey report for plastic packaging.	P
	3375	Ammonium Nitrate Emulsion		P
5.2	3101	Organic Peroxide – Type B Liquid		P
	3102	Organic Peroxide – Type B Solid		P
	3103 to 3110	Organic Peroxide – Solid / Liquid	Origin from China/Hong Kong is prohibited	R
	3545	Articles Containing Organic Peroxide		P
	3111 to 3120	Organic Peroxide – Solid / Liquid		P
CLASS 6 – Toxic / Infectious Substances				
6.1	1649	Motor fuel anti knock mixtures		P
	3483	Motor fuel anti knock mixture – flammable		P
	2249	Dichlorodimethyl ether, symmetrical		P
	3172	Toxins, extracted from living sources, liquid NOS		P
	3315	Chemical sample, toxic		P
	3488 to 3491	Toxic by inhalation liquid		P

	3507	Uranium Hexafluoride		P
	3546	Articles Containing Toxic Substances		P
	3550	Cobalt Di hydroxide Powder		P
	3560	Tetramethylammonium Hydroxide Aqueous Solution		P
6.2	ALL	ALL COMMODITIES	All PROHIBITED	P
CLASS 7 – Radioactive Material – All PROHIBITED				
CLASS 8 – Corrosive Substances				
8	2031	Nitric Acid other than red fuming.	Require document proof for IMDG PP81 and Vanning Survey Report	R
	2032	Nitric Acid red fuming.		P
CLASS 9 – Miscellaneous Dangerous Substances				
	2071	Ammonium Nitrate fertilizer	ON DECK ONLY- Prohibited for NVOCC Max 100mt onboard at any one time. COA Required Owner's permission & Port permits may be required.	R
	2212	Asbestos, Amphibole	Require hermetically sealed packaging, Owner's permission & Port permits may be required.	R
	2216	Fishmeal (Fishscrap), Stabilized	Subject to proper fish meal certificate in compliance with SP 907, 300 and 308	See Comment
	2211 3314	Polymeric Beads, Expandable Plastic Moulding Compound	Prohibited in Reefers. For DRY containers, packaging must be hermetically sealed. OT container acceptable.	See Comment
	2590	Asbestos, Chrysotile	Require hermetically sealed packaging, Owner's permission & Port permits may be required.	R
	3245	Genetically modified organisms		P
	3258	Elevated Temperature Liquid NOS at or above 240 deg C.	Competent Authority Approval required	R
	3077	Environmentally Hazardous Substance Solid N.O.S.	MSDS made available on request. Chemicals prohibited as UN3077: TRICHLOROISOCYANURIC ACID; DICHLOROISOCYANURIC ACID; SYMCLOSENE; TRICHLOR; ISOCYANURIC CHLORIDE; 1,3,5-TRICHLORO-1,3,5-TRIAZINE-2,4,6(1H,3H,5H-TRIONE ; CHLOREAL ; TRICHLORO-S-TRIZINETRIONE ; TCICA ;TCCA ;SODIUM DICHLOROISOCYANURATE DIHYDRATE ; THIOUREA, TROCLOSENE SODIUM, THIOCARBAMIDE. ZINC DUST/POWDER.	R See Comment
	3082	Environmentally Hazardous Substance Liquid N.O.S.	MSDS made available on request. Chemicals prohibited as UN3082: Diethenylbenzene or Vinylstyrene	See Comment

General Policy for Batteries AND devices, equipment containing/ packed with Batteries– UN 2794, 2795, 2800, 3028, 3090, 3091, 3166(Hybrid), 3171, 3292, 3480, 3481, 3496, 3536, 3551, 3552, 3556, 3557, 3558

- All batteries must be new.
- Waste, damaged and used batteries are prohibited.

- Non-DG batteries are acceptable upon verification of supporting documents. special stowage mandatory.
- Non-DG batteries from NVOCC are only acceptable if accompanied by approval from NVOCC DG desk.
- Lithium batteries, Sodium batteries, devices containing or packed with such batteries: on-deck stowage, protected from heat.
- UN3171, UN3556, UN3557, UN3558, UN3536 are restricted to a maximum of total 40 containers on board at any one time per vessel.
- UN3171, UN3556, UN3557, UN3558, UN3536 are prohibited for carriage from June to October transiting Middle East.

Additional requirements for specific commodities:

- All Hazardous goods requiring temperature control for Safety purposes is prohibited.
- Any commodity containing Calcium Hypochlorite is prohibited.
- Waste & hazardous waste covered by Basel convention is prohibited.
- IMO Class 2.1, irrespective of main or sub risk, in reefer is prohibited.
- Bulk DG is not acceptable unless it meets the design and construction provisions of IMDG 6.9.3.1.
- Shark Fin Products in any form are prohibited.
- Charcoal shall always be declared as DG.
- Activated carbon that meets the requirements of SP979 (MSDS + Vanning survey report + self-heating test report + approval from customer's DG desk required) - special stowage mandatory, surcharge applicable and limited to XPF vessel only. Prohibited to NVOCC.
- Non-activated Carbon Black of mineral origin may be accepted (MSDS + self-heating test report) - special stowage mandatory. Prohibited to NVOCC.
- All forms of Ammonium Nitrate are prohibited from NVOCC.
- DG in the restricted/prohibited list are prohibited to NVOCC
- Tanks should be accompanied by a valid tank inspection certificate (for NVOCC).
- All Military cargo is strictly subject to a case-by-case & the vessel's Master must be notified.
- All under SP900 is prohibited.
- Prohibited in Flexibag – DG, marine pollutants, substances harmful to human beings.
- Substances with SP386 are required to submit/declare SAPT in accordance with SP386
- Class 3, irrespective of main or sub risk, are acceptable in reefer, provided the controlled temperature inside the reefer is 10°C below the flash point.
- Class 1 shipment must be accompanied by an End User Certificate, Dangerous Goods Declaration (DGD), Import and Export Licenses, MSDS from the product manufacturer, and Vanning Survey Report.

DG desk Email:

ASIA Eastern Africa & Middle East	dq@xpf.com
Europe Americas & Northern Africa	dq.goc@xpf.com